

CARES PAROS UPDATE



CARES Funding - Oversight

- American Heart Association
- American Red Cross
- Emory University
- Medtronic Foundation
- Zoll Corporation

- Oversight Board
- Advisory Council

CARES/PAROS Analysis Update

- About 90,000 records
- Initial data review completed
- Further queries needed
- Analysis to be completed this summer.
- Submit for fall 2013 publication review

Software Update

- PAROS – 3 Levels Local/Country/Global
- ★ Dispatcher CPR Module
- ★ AED Module
- Hypothermia Module
- CPR Metrics Module
- Mirror Modules for CARES/PAROS
- ★ Beta testing occurring

Dispatch: Preliminary

Dispatch Agency:

Date/Time of Call:

Incident #:

DISPATCH CPR MODULE

Dispatcher ID/Name:

Transfer Call?

If yes, time elapsed before dispatcher first addressed caller?

Was this a cardiac arrest before arrival of EMS?

- Yes
 No
 Unknown

Minutes: Seconds:

- Yes
 No
 Unknown

CPR already in progress?

CPR instructions delivered?

Chest Compressions Performed?

- Yes
 No
 Unknown

- Yes
 No
 Unknown

- Yes
 No
 Unknown

Barriers to CPR

- Hang up phone Caller left phone Caller refused Other (please specify)
- Language barrier Overly distraught Couldn't move patient

Dispatch: Patient

- Adult
 Child
 Infant

Conscious?

- Yes
 No
 Unknown

Breathing Normally?

- Yes
 No
 Unknown

Dispatch: Time Measures

Dispatch Recognizes Need for CPR:

Dispatcher Began Instructions:

Time of First Compression:

Time of First Rescue Breaths:

Dispatch: Comments

Coaching or compliments for dispatcher?

Device Information

Make: If Other, please specify:
 Model: Year: Serial Number:
 Date of Sale: Device Resold?:
 Frequency of checking the device for readiness: If Other, please specify:
 Results of device readiness checks:

AED MODULE

Location Information

Mobile vs. Fixed: Mobile Location: Fixed Location:
 Organization/Company Name: Commonplace Name:
 Street Address: Address Notes:
 City: State: Zip Code: County:
 Vertical Location [Floor]: AED is stored in an:
 Publicly available: Hours of Operation: AED can be used by:
 AED Signage: Signage/Location Indicators in place?:
 On-Site Contact Name: On-site Contact Email address: On-site Contact Phone Number:) -

AED Program Information

AED Program Coordinator Name:
 AED Program Coordinator Email address:
 AED Program Coordinator Phone Number:) -
 Date of Last Update: non-editable timestamp?



RAMSEY
SOCIAL
JUSTICE
FOUNDATION

CPR *Be The Link to Life*



English

한국어

日本語

中文

SHARE Interactive Training Video



RAMSEY
SOCIAL
JUSTICE
FOUNDATION

CPR *Be The Link to Life*

Save Hearts in Arizona Registry & Education (SHARE)의 전화-보조 CPR 교육 모듈에 오신걸 환영합니다.

심장마비는 전세계적으로 사망의 주요원인입니다. 이 교육은 전화-보조 CPR 관련 최근 권고지침들에 대한 개요를 제공할 것입니다. 또한 사진, 동영상, 실제 오디오 녹음기록을 기반으로 하는 인터랙티브한 튜토리얼들을 통해, 전화상으로 심장마비를 판별하기 위해 필요한 도구들을 제공하고, 여러분이 최대한 빨리 CPR 지침 설명을 시작하도록 하며, CPR를 실행하는 일반 구조자들에게 여러분이 지속적인 코칭을 제공하도록 할 것입니다. 여러분은, 각자가 속한 지역사회에서 지속적으로 생명을 구하는데 필요한 노하우를 얻게 될 것입니다. 교육과정 중에 행운을 빕니다. 무엇보다도, 여러분이 하는 일의 중요성을 항상 기억하세요.

사인 업

이미 등록했나요?

이메일 주소

비밀번호

[비밀번호를 잊었나요?](#)

[로그인](#)



Cardiac Arrest Survival: Global Dispatch CPR Intervention, 2013

COMMITMENT BY

Ramsey Social Justice Foundation

PARTNER(S)

Bentley J. Bobrow

Brian McNally

Catherine Eden

Marc Chambers

Will Humble

Jonathan Koppell

Bob Khan

American Heart Association

Pan Asian Resuscitation Outcome Study (PAROS)

Medtronic Foundation


ZOLL Medical Corp (Japan)

Laerdal Foundation

University of Arizona, College of Medicine

Guideline Recommendations: The 2-Question Model





Is the patient
breathing normally?

정상적으로 호흡을 하나요?

Avoiding Pitfalls

Dispatcher: Does he have any health issues that you know of?

Caller: He's got a bad back. He was taking medicine for that. Um ...

허리가 안좋아서
약을 먹고 있었고

Techniques for Getting CPR Started



Measuring T-CPR

TIME MEASURES

Timestamp Dispatch Recognized Need for CPR	Timestamp Dispatch Began Instructions	Timestamp to First Compressions
:00 ▼	:00 ▼	:00 ▼

둘째, 디스패처가 CPR 지침 설명을 시작할 때까지의 시간

<http://stage.cprlinktolife.com/>

- accesscode